

MITIGATED DETERMINATION OF NON-SIGNIFICANCE

File No. TD 2022-01

DESCRIPTION OF PROPOSED ACTION: The Cherry Creek to PSA 126 and PSA 37 Intertie will consist of the installation of approximately 1,700 linear feet of 16-inch diameter pipe. The pipe is proposed to be installed within the USBR right-of-way or the city street right-of-way. Interties will be made to the existing PSA 126 and PSA 37 pump stations.

PROPONENT: Kennewick Irrigation District (KID)

LOCATION: The project is located along a section of the Main Canal Division IV within Benton County, Washington, and will begin approximately 1,100 feet south of where the canal crosses South Ely Street and will continue north to the northeast corner of the intersection between South Ely Street and West 36th Avenue. In addition, some work will be completed near 2607 South Buntin Loop in Kennewick, Washington. The project is located in sections 11 and 14 of Township 8 North, Range 29 East, Willamette Meridian.

RESPONSIBLE SEPA OFFICIAL: Seth Defoe, Land and Water Resources Manager

THRESHOLD DETERMINATION:

KID, the lead agency for this proposal, has determined that the proposal will not have a probable significant adverse impact on the environment. An Environmental Impact Statement (EIS) is not required under RCW 43.21C.030 (2) (c) and Chapter 197-11 WAC. This decision was made after review of a completed SEPA Environmental Checklist dated December 23, 2021 and other information on file with the lead agency. The responsible official finds this information reasonably sufficient to evaluate the environmental impact of this proposal. This information is available to the public on request. The checklist attachments and reference documents can be viewed at www.kid.org.

In accordance with KID Policy 8.1 and WAC 197-11-350, the lead agency for this proposal has determined that certain mitigation measures are necessary in order to issue a Determination of Non-Significance (DNS) for this proposal; that such conditions are necessary to mitigate specific probable adverse environmental impacts identified in environmental documents prepared pursuant to this policy; that the mitigation measures included in such conditions are reasonable and capable of being accomplished; that it has considered whether other local, state, or federal mitigation measures applied to the proposal are sufficient to mitigate the identified impacts; that such conditions are based on one or more policies in KID Policy 8.1; and that such conditions will be in writing in a decision document.

These mitigation measures are conditions of approval imposed pursuant to RCW 43.21C.060 and KID Policy 8.1; and are enforceable under the procedures of KID Policy 8.1. These mitigation measures include the following:

Mitigated Determination of Non-significance Terms and Conditions

1. Water

- a. Best Management Practices will be utilized to contain and remove any waste materials such as sediments or fuels or lubricants from heavy machinery that discharge into the dewatered canal during construction.

2. Air

- a. Best Management Practices, such as watering, will be used to minimize and control fugitive dust during the construction project.
- b. Compliance with the applicable regulations of the Benton County Clean Air Authority regarding dust control shall be met.
- c. Construction vehicles and machinery will not be allowed to idle during periods when they are not in use.
- d. Utilize equipment and machinery that meets emissions standards set forth for construction equipment and machinery.

3. Historic and Cultural Preservation

- a. If any possible cultural material is encountered during the project, work must be suspended at that location and the Reclamation Archaeologist contacted, along with DAHP and the appropriate Native American Tribes.
- b. In the event of the inadvertent discovery of human remains, all work in the vicinity of the find will be halted and the authorized KID official and Reclamation Archaeologist notified immediately, along with DAHP and the appropriate Native American Tribes.
- c. Compliance with all other applicable laws pertaining to archaeological resources is required.

Kennewick Irrigation District

RESPONSIBLE _____ **DATE:** January 12, 2022
OFFICIAL: Seth Defoe
TITLE: Land and Water Resources Manager

ADDRESS: Kennewick Irrigation District
2015 South Ely Street
Kennewick, WA 99337
sdefoe@kid.org
(509) 586-6012

APPEALS: This DNS is issued under KID Regulation and WAC 197-11-340(2); the lead agency will not act on this proposal for 14 working days. There is no administrative appeal provided. Any appeal of this DNS must be filed with the governmental action. RCW 43.21C.075.